CONTENTS

Vol. 142, No. 1, March 1984

Adrenal and extra-adrenal pheochromocytomas: an ultrastructural and formaldehyde-induced fluorescence study with catecholamine content. *N. Kimura, N. Sasano, Y. Miura and K. Kobayashi* 1

Oral administration of arginine and citrulline in the treatment of lysinuric protein intolerance. *N. Mizutani, T. Kato, M. Maehara, K. Watanabe and M. Ban* 15

Postoperative cancer therapy for patients with carcinoma of the thoracic esophagus: an attempt of aggressive chemotherapy combined with proper nutritional support for patients with distant node metastasis. *T. Nishihira, M. Tan, Y. Kuriya, N. Ohmori, M. Kitamura, T. Toyoda, K. Hirayama, J. Kuramoto, S. Kawachi, T. Akaishi and M. Kasai* 25

Tryptophan metabolism in liver cirrhosis: influence of oral antibiotics on neuropsychiatric symptoms. *K. Yoshida and C. Hirayama* 35

Severe pulmonary vascular disease consisting of ventricular septal defect and patent ductus arteriosus. A case diagnosed as the indication for total Correction by the hemodynamic Study. *S. Yamaki, M. Fukuda, O. Kahata and K. Koyamada* 43

An Ia-like antigen positive null cell leukemia cell line (THP-5) lacking in the stimulating capacity in autologous and allogeneic mixed lymphocyte reaction. *M. Imaizumi, S. Tsuchiya, Y. Kobayashi, Y. Yamaguchi, M. Minegishi, M. Tamura, T. Konno and K. Tada* 51

The mechanism of postinhibitory rebound increases in plasma GH in acromegalic patients. *K. Hanew, A. Sasaki, S. Sato, M. Kasai, Y. Shimizu, O. Murakami and K. Yoshinaga* 59

Effects of nifedipine on renal vascular responses to vasoactive agents in rabbits. *M. Seino, K. Abe, S. Ito, M. Yasujima, S. Chiba, M. Hiwatari, K. Sato, T. Goto, K. Omata, J. Tajima, M. Tanno and K. Yoshinaga* 67

A comparative histometrical analysis of renal inner medulla of man, swine, dog and hamster. *T. Kokubo, M. Takahashi, F. Furukawa, K. Nagano, Y. Hayashi and T. Takahashi* 77

Glycosaminoglycans of human colonic mucosa and colonic adenocarcinoma. *M. Isemura, N. Sato, H. Munakata, J. Aikawa, N. Ototani, Z. Yosizawa, A. Sakuma, T. Masuda, Y. Aoyagi and F. Ichida* 89

Plasma gastrin and pancreatic polypeptide response to atropine and sham feeding in man. . *F. Koizumi, R. Ushizawa, T. Kawamura, A. Ishimori and T. Sato* 97

Staged orchidopexy with division of spermatic vessels: an experimental study. *T. Chiba, E.T. Boles, Jr. and G. Staples* 105

Short Reports

Serological markers of hepatitis A and B virus infection in overseas students. *S. Nakamura* 115

Comparison of ascorbic acid concentrations in granulocytes and lymphocytes. *T. Ikeda* 117

Vol. 142, No. 2, February 1984

Serological distinction of A antigen between red blood cells and saliva in blood grouping of blood and body fluid stains. *K. Sagisaka, M. Iwasa and T. Yokoi* 119

Giant hyperplasiogenous polyp of the stomach simulating malignant polyp. *T. Mukada, J. Kashiwagura, K. Itasaka, S. Miyazaki, H. Hirakawa, Y. Sasaki, S. Andoh, H. Igura and T. Mineta* 125

In vitro test of phagocytic ability of human platelets using colloidal carbon. *E. Endo, H. Fujimoto, A. Ishimori, N. Matsuura, J. Khato and T. Takahashi* 131

A high-pass phaseless filter for eliminating low-frequency ECG noise during exercise and its clinical application to automatic analysis of the heart rate and ST segment level. *E. Ino-Oka, S. Isoyama, Y. Shimizu, S. Sato, K. Tamaki, S. Kitaoka, N. Ishide, T. Takishima, T. Matsuo and K. Takahashi* 141

Protective effect of pretreatment against the acute toxicity of formulated cyanofenphos in hens. *N. Konno, T. Yamauchi, Y. Yamaguchi and M. Fukushima* 155

Early electrodiagnosis of the ulnar entrapment neuropathy at the elbow. *I. Kimura, D.R. Ayyar and S.M. Lippmann* 165

Formation of a vasopressor substance in the incubated serum of patients with various hypertensive diseases. *M. Maebashi and K. Yoshinaga* 173

A case of ovarian endodermal sinus tumor associated with pregnancy. *K. Ito, K. Teshima, H. Suzuki and K. Noda* 183

Changes of platelets, serum lactic dehydrogenase, γ-glutamyltranspeptidase, choline esterase and creatine phosphtokinase levels in patients with Cushing's syndrome. *T. Sato, R. Hiramatsu, T. Iwaoka, Y. Fujii, T. Shimada and T. Umeda* 195

Somatostatinoma syndrome accompanied by overproduction of pancreatic polypeptide. *C. Nakanome, M. Koizumi, H. Fujiya, H. Akai, T. Toyota, Y. Goto, J. Kameyama, K. Miyakawa and K. Hanew* 201

Islet cell surface antibodies in diabetes and their possible influence on glucose tolerance. *H. Ohgawara and Y. Hirata* 211

A ten-year experience with surgical resection for patients with metastatic lung tumors. *S. Fujimura, T. Kondo, A. Yamauchi, M. Handa, T. Okabe, F. Shionozaki, R. Saito, T. Ichinose, E. Akaogi and T. Nakada* 217

Short Reports

Serological survey of hepatitis B virus (HBV) markers in out- and in-patients in a university hospital. *O. Nakagomi, T. Suzuki, H. Oyamada, E. Kaneda, Y. Saruta and S. Uesugi* 227

Right hemisphere dominance in arousal induced by facilitating postitions. *N. Irie and R. Nakamura* 229

Vol. 142, No. 3, March 1984

T-cell subsets analyzed by monoclonal antibodies in patients with primary immunodeficiency diseases. *M. Minegishi, S. Tsuchiya, M. Imaizumi, Y. Yamaguchi, T. Konno and K. Tada* 231

A successful trial of enzyme replacement therapy in a case of argininemia. *T.*

Sakiyama, H. Nakabayashi, H. Shimizu, W. Kondo, S. Kodama and T. Kitagawa 239

A study of serum free C-peptide responses to oral glucose load in diabetic patients: with special reference to types of diabetes and methods of treatment. *S.D. Hsieh, Y. Akanuma and F. Takaku* 249

Conformational differences between mouse contrapsin and α-1-antitrypsin as studied by ultraviolet absorption and circular dichroism spectroscopy. *H. Takahara, S. Shibata and H. Sinohara* 261

Distribution of alpha-adrenergic receptors is the rabbit nephron. *E. Kusano, R. Nakamura, Y. Asano and M. Imai* 275

Prolactin response to thyrotropin-releasing hormone in children with gynecomastia, premature thelarche and idiopathic precocious puberty. *K. Abe, N. Matsuura, Y. Nohara, H. Fujita, K. Fujieda, T. Kato and Y. Mikami* 283

The effect of dehydroepiandrosterone sulfate on serum steroid concentration in singleton and twin pregnancies and its effect on cervical canal-ripening in singleton pregnancies. *K. Takahashi, N. Ikeno, H. Hoshiai and M. Suzuki* 289

Morphologic study of cytoskeletal systems of mouse hepatocytes using polyethylene glycol-embedding method. *M. Ishii, H. Suzuki, S. Ohta, M. Otsuki and Y. Goto* 299

Monodeiodination of thyroxine in the maternal and fetal dog kidneys and placenta. *M. Suzuki, K. Yoshida, T. Sakurada, H. Kitaoka, K. Kaise, N. Kaise, H. Fukazawa, T. Nomura, Y. Itagaki, M. Yamamoto, S. Saito and K. Yoshinaga* 313

Rejection monitoring by lymphocyte blastogenesis assay in canine lung allotransplantation. *S. Fujimura, T. Kondo, A. Yamauchi, T. Okabe, M. Handa, F. Shionozaki, R. Saito, M. Horikawa and T. Nakada* 321

Ultrastructural changes in skeletal muscle of a patient with familial intrahepatic cholestasis associated with vitamin E deficiency. *Y. Kobayashi, Y. Tazawa, M. Nakagawa, H. Suzuki, T. Konno and T. Y. Yamamoto* 337

Short Reports

Gallium induces reduction of negative charge of the cell membrane and redifferentiation of cancer cells. *S. Okuyama, M. Sano, T. Awano, S. Takeda, K. Yamada-Yokoyama, K. Takahashi and T. Matsuzawa* 347

Decrease in saturation density of mammalian carcinoma cell culture during exposure to bestatin, a clinically applicable agent. *S. Okuyama and H. Mishina* 349

Vol. 142, No. 4, April 1984

Isolation, molecular properties and allotype of mouse Clq. *J. Seino, Y. Fukuoka, T. Okuda and T. Tachibana* 351

Functional significance of the corpus callosum based on the analysis of rhythmic capabilities in the split-brain patients. *H. Nakamura, M. Nagafuchi, S. Nakamura and K. Kogure* 363

A rabbit model for hypersensitivity pneumonitis. *K. Konishi, S. Satoh, S. Ida and T. Takishima* 381

Urethral pressure tomography. *T. Morita and S. Tsuchida* 391

Serum erythropoietin (ESF) levels and erythroid progenitors (CFU-Es) of patients with chronic myeloproliferative disorders. *Y. Fukushima, I. Miura, T. Takahashi, M. Fukuda, K. Yoshida, A. Yamaguchi and A.B. Miura* 399

Effects of ATP, its related nucleotides and VIP on the inhibitory potentials in the smooth muscle cells of the guinea-pig duodenum. *H. Ohkawa* 409
Immunocytochemical identification of CRF in the human hypothalamus. *T. Mouri, T. Suda, N. Sasano, N. Andoh, Y. Takei, M. Takase, A. Sasaki, O. Murakami and K. Yoshinaga* 423
Distribution of intra- and extraocular pain induced by argon laser photocoagulation. *M. Tamai and K. Mizuno* 427
Biochemical studies on the collagen of the palmar aponeurosis affected with Dupuytren's disease. *T. Hanyu, T. Tajima, T. Takagi, S. Sasaki, D. Fujimoto, M. Isemura and Z. Yosizawa* 437
Plasma growth hormone responses to sulpiride in patients with acromegaly. *K. Hanew, S. Sato, A. Sasaki, M. Kasai, Y. Shimizu, O. Murakami and K. Yoshinaga* 445
Determination of low affinity platelet factor 4 in frozen and thawed human platelets by the newly developed enzyme immunoassay system. *T. Shimizu, Y. Noda, S. Goto, Y. Morishima, I. Hasegawa, T. Fukuda and K. Kato* 453
Sensory nerve conduction study in the medial antebrachial cutaneous nerve. *I. Kimura and D.R. Ayyar* 461

Short Report

Urethral pressure changes during voiding. *I. Miyagawa* 467